

## **Computer-related Operations**

## **Table of Contents**

What You Can Do with a Connected Computer2
Connecting to a Computer: Which Terminal Should I Use?5
Connecting a Computer to the Instrument6
Playing Back Songs (MIDI, Audio Data) on a Computer with the Instrument
Recording Your Keyboard Performance as MIDI Data to a Computer9
Recording Your Keyboard Performance as Audio Data to a Computer10
Transferring data files Including Song Files, Style Files
and Backup Files11
Transferring files using Musicsoft Downloader13
Installing Musicsoft Downloader13
Transferring MIDI files from the Computer to the Instrument 14
Transferring Song/Style data from the Instrument
to the Computer16
Transferring files with a Computer using Explorer, Finder, etc18
Playing Back MIDI Files including Songs Transferred
from a Computer20
Target Models and Functions22

#### **NOTE**

· This manual applies to models released on January 2012 or later.

## **What You Can Do with a Connected Computer**

Most all digital musical instruments are compatible with MIDI (Musical Instrument Digital Interface). With this technology, the instrument can communicate with a connected computer by transmitting/receiving MIDI data, including keyboard performance information and Song playback data.

Some models can also transmit audio data, although compatible data differs depending on the particular instrument. Refer to the "Data formats compatible for transfer" column in "Target Models and Functions" or the Owner's Manual supplied with your instrument.

#### **NOTE**


 For details about MIDI, refer to "MIDI Basics" on the following web site: https://download.yamaha.com/

After selecting your country and clicking on "Manual Library" from the "Support" page, select the desired Language, and then enter "MIDI Basics" into the search box.

## <u>Playing Back Songs (MIDI files, Audio Data files) on a Computer with the Instrument</u>


**Playing back MIDI files:** You can play back MIDI Song files on a computer using the Voice sounds of the instrument with MIDI file playback apps.

**Playing back Audio data files:** You can play back audio song data files through the built-in speakers of this instrument with audio playback apps.



# Recording Your Keyboard Performance as MIDI Data to a Computer

Your keyboard performance can be recorded as MIDI events to music software on a computer. Depending on the application, the recorded data can be edited in various ways, and even be converted to notation.




## Recording Your Keyboard Performance as Audio Data to a Computer

Your keyboard performance can be recorded as audio data to a computer with a DAW (Digital Audio Workstation) app or hardware. Depending on the particular application, the recorded data can be edited in various ways.



# <u>Transferring data files Including Song Files, Style Files and Backup File</u>

User Song data you recorded on the instrument can be transferred to a computer and saved as a file, while Song data (MIDI files) obtained via the Internet can be transferred and stored to the instrument, for future listening or keyboard practice. Depending on the instrument you are using, Musicsoft Downloader (free) is required to transfer files. Refer to the "File transfer method" column in "Target Models and Functions."



#### NOTE

 Musicsoft Downloader is compatible only with Windows operating systems, and not Mac.

# **Connecting to a Computer: Which Terminal Should I Use?**

Electronic musical instruments have several external connection terminals, and one of the most convenient and easy to use for connection to a computer is the USB TO HOST terminal.

#### **USB TO HOST terminal:**



Use an AB type USB cable of less than 3 meters. USB 3.0 cables cannot be used.

The data that can be handled differs depending on the instrument you are using. Refer to the "Data formats compatible for transfer" column in "<u>Target Models and Functions</u>" or the Owner's Manual supplied with your instrument.

#### **Precautions when using the USB TO HOST terminal**

When connecting the computer to the USB TO HOST terminal, make sure to observe the following points to avoid freezing the computer and corrupting or losing the data.

#### **NOTICE**

- · Close all applications.
- Before turning on the power to the instrument, connect the computer to the USB TO HOST terminal.
- While the computer is connected to the instrument, you should wait for six seconds or more between these operations: (1) when turning the power of the instrument off then on again, or (2) when alternately connecting/disconnecting the USB cable.

If the computer or the instrument freezes, restart the application software or the computer OS, or turn the power to the instrument off then on again.

## Connecting a Computer to the Instrument

Use an AB type USB cable of less than 3 meters. USB 3.0 cables cannot be used.

#### System requirements and setup

A computer running Windows or macOS.

#### For MIDI Transfer

Standard drivers on either OS can be used; there is no need to install another driver.

#### For Audio Transfer

#### For Windows:

Download and install the Yamaha Steinberg USB Driver, available at the following URL:

https://download.yamaha.com/

\* After selecting your country and clicking on "Firmware/Software Updates" from the "Support" page, select the Product Category, and then enter "Yamaha Steinberg USB Driver" into the search box.

For information on system requirements, refer to the page for downloading the driver. Follow the Installation Guide in the package file to install the driver to the computer.

#### For Mac:


Standard driver on macOS can be used; there is no need to install another driver.

#### **NOTE**

 Not all models are equipped with audio playback functions; refer to the "USB Audio" column in the "<u>Target Models and Functions</u>" or the Owner's Manual supplied with your instrument for specific information.

#### **■** Connection

- **1.** Turn off the power of the instrument.
- **2.** Start the computer, and then quit any running application software.
- **3.** Connect the USB cable first to the USB TO HOST terminal of the instrument, and then to the USB terminal of the computer.



**4.** Turn on the power of the instrument.

The computer will automatically be set to enable MIDI communication with the instrument.

# Playing Back Songs (MIDI, Audio Data) on a Computer with the Instrument

This section covers the basic procedure.

- **1.** Connect the instrument to a computer.


  Refer to the "Connecting a Computer to the Instrument."
- **2.** Start the file playback software/application on the computer.

  For detailed instructions, refer to the manual of your particular playback software.
- **3.** Have a playback file ready on the computer.
  - · MIDI files
  - · Audio data files
- **4.** From the playback software, select the connected instrument as the output destination.
- 5. Start playback of the file on the playback software.

Song playback from the computer is output through the speakers of your instrument.

#### **NOTE**

- · If the MIDI data includes any information for functions that are not supported by the instrument, the instrument will not play the data correctly.
- · Not all models are equipped with audio playback functions; refer to the "USB Audio" column in the "<u>Target Models and Functions</u>" or the Owner's Manual supplied with your instrument for specific information.



# Recording Your Keyboard Performance as MIDI Data to a Computer

By using Music Production software on the computer, you can record your keyboard performance as MIDI data. For detailed instructions, refer to the manual of the application. This section covers the basic settings you need to make on the instrument for recording. Keep in mind that some of the following functions may not be available on the instrument.

#### Local Control settings

When recording your keyboard performance to the connected computer, the MIDI data you play is transmitted to the computer and returned back to the instrument. This causes a "double" sound, since the tone generator of the instrument receives the keyboard performance data directly from the keyboard as well as the computer. To avoid this situation, set Local Control to "Off," in order to separate the tone generator of the instrument from the keyboard.

#### **NOTE**

 When you use a software synthesizer as a tone generator, be sure to make settings on the computer application so that the MIDI data received from the instrument will not be returned back to the instrument, in addition to setting Local Control to "Off."

#### External Clock


When playing back Style/Arpeggio data, you should set which clock is used, that of the instrument or the computer. If you use the clock of the computer, make settings on the instrument so that Style/Arpeggio playback follows the external clock.

#### MIDI Transmit settings

Make settings so that Style/Arpeggio playback as well as the keyboard performance will be transmitted to the computer. Note that some instruments cannot transmit playback data.

#### ● Transmitting the Panel Settings (Initial Send)

By executing this before recording, you can record the panel settings to the beginning of the Song data. This ensures that the proper and expected sounds will be produced when the recorded Song plays back.



## **Recording Your Keyboard Performance as Audio Data to a Computer**

You can record your keyboard performance as audio data to a music production software on your computer. For more detailed instructions, refer to the Owner's Manual supplied with your instrument.

If your computer's OS is Windows, you will need to install the Yamaha Steinberg USB Driver to your computer in order to properly transmit audio data. Refer to the "Connecting a Computer to the Instrument."

#### **NOTE**

- · Not all models are equipped for recording audio data via USB cables. For specific information, refer to the "Target Models and Functions" or the Owner's Manual supplied with your instrument.
- · DAW stands for Digital Audio Workstation, which is application software that enables you to record, edit, and mix audio data. Some major DAW software include Cubase, Logic, SONAR and Digital Performer.

## **Transferring data files Including Song Files, Style Files and Backup Files**

The following types of data can be transferred between the computer and instrument.

#### Data that can be transferred

#### Song files with the extension ".MID"

#### External Song

This refers to Song data which is created on an external device other than your instrument (such as a computer). This refers also to Song data obtainable over the Internet.

#### User Sona

This refers to Song data which is created via the Recording function of the instrument. User Song data can be transferred to the computer as backup, and then returned to the instrument.

#### Style files with the extension ".STY"

#### External Style


This refers to Style data which is created on an external device other than your instrument (such as a computer). This refers also to Style data obtainable over the Internet.

#### User Style

This refers to Style data which is created via the Recording function of the instrument. User Style data can be transferred to the computer as backup, and then returned to the instrument.

#### Backup files with the extension ".BUP"

These files which include the panel settings and performance data can be transferred to the computer and saved as backup. The Backup files on the computer can be returned to the instrument again, allowing you to recall the panel settings and performance data you created previously.



The items included in the Backup files and data which can be transferred differ depending on the instrument. For details, refer to the "Data formats compatible for transfer" column in the

"Target Models and Functions" or the Owner's Manual supplied with your instrument.

Also, the file transfer method differs as follows depending on the instrument you are using. Refer to the "File transfer method" column in the "Target model and supported data".

- · Transferring files using Musicsoft Downloader (free)
- · Transferring files with a Computer using Explorer, Finder, etc.

#### NOTICE

· If batteries can be installed to the instrument: To avoid power down during file transfer and possible data loss, make sure to use the power adaptor rather than batteries when transferring files.

#### NOTE

· Make sure to stop playback of the Song or Style when using Musicsoft Downloader, since internal memory of the instrument cannot be accessed from the computer during playback.

## **Transferring files using Musicsoft Downloader**

#### NOTE

- · The file transfer method differs as follows depending on the instrument you are using. Refer to the "File transfer method" column in the "Target models and Functions".
  - · Transferring files using Musicsoft Downloader (free)
  - Transferring files using Explorer, Finder, etc. attached to the computer

### **Installing Musicsoft Downloader**

#### **System Requirements**

Check the following Yamaha downloads website.

Musicsoft Downloader is not supported for the Mac.

#### How to install

1. On the computer, access the following site, and then download Musicsoft Downloader.

https://download.yamaha.com/

\*After selecting your country and clicking on "Firmware/Software Updates" from the "Support" page, select the Product Category, and then enter "Musicsoft Downloader" into the search box.

Select "Musicsoft Downloader" from the search results. Information about the computer system requirements and the installing can be confirmed on the display shown.

2. Execute installation by following the on-screen instructions.

After installation is completed, confirm that the Shortcut icon is located on the screen or Musicsoft Downloader is added under Yamaha in the Start menu.

For detailed instructions of this application, refer to the Help.

### **Transferring MIDI files from the Computer to the** Instrument

#### **NOTE**

- · Depending on the instrument and the computer OS used, menu and screen indications may differ from those shown in the instructions below.
- **1.** Connect the instrument to a computer.
- 2. On the desktop of the computer, double-click the shortcut icon of Musicsoft Downloader.


If you cannot find the shortcut icon, select [Start]  $\rightarrow$  [All Programs]  $\rightarrow$  [YAMAHA]  $\rightarrow$ [Musicsoft Downloader] → [Musicsoft Downloader].

Musicsoft Downloader launches, and the main window appears.

3. Click [Connection Check] at the bottom of the window.

This operation checks whether communication between the computer and instrument has been properly established or not. If an error message appears, follow the on-screen instructions to check the connection status with the Yamaha USB-MIDI driver.

4. Click [Add File] to call up the file selection window.



5. On the file selection window, select the desired file, then click [Open].



In the upper half box of the main window, the duplication of the selected file is shown.


- 6. At the lower left box of the main window, click "Electronic Musical Instruments," and then select the desired destination drive.
  - · If you wish to transfer Song (\*\*\*.MID) or Style (\*\*\*.STY) data to internal memory of the instrument, select "Flash Memory."
  - · If you wish to transfer Song (\*\*\*.MID) or Style (\*\*\*.STY) data to the USB flash drive connected to the USB TO DEVICE terminal of the instrument, select "USB."
  - · If you wish to transfer Backup file (\*\*\*\*.BUP) data, select "System Drive."

#### **NOTE**

· When a "USER FILES" folder is located under "Flash Memory" or "USB": For User Songs, select the "USER FILES" folder. Song files outside the "USER FILES" folder will be handled as External Songs. For External Songs, select a folder other than the "USER FILES" folder, or simply specify "Flash Memory" or "USB" (the area first displayed when clicking "Flash Memory" or "USB"). If you select the "USER FILES" folder for External Songs, they will not be played back on the instrument.

#### **IMPORTANT**

· Regarding Backup files, User Songs and User Styles created on the instrument, never change the file name on the computer. Doing so makes it impossible to transfer the Backup file to the instrument and prevents User Song and User Style data from being recognized by the instrument.



- **7.** Select the file in the upper half box, then click the downward [Move  $\downarrow$  ] button.
  - A confirmation message will appear. To cancel the operation, click [CANCEL] in this step.
- 8. Click [OK] to start data transfer from the computer to the instrument.

#### **NOTICE**

- · Never unplug the USB cable during data transfer. Not only will the data transfer fail, but also operation of the memory media may become unstable and its contents may disappear completely when the power is turned on or off.
- **9.** After data transfer is completed, close the window to quit the Musicsoft Downloader.
- 10. On the instrument, use the data to play music.

If you've transferred a Backup file (\*\*\*\*.BUP), confirm that the panel settings have been changed as expected.

If you've transferred a Song (\*\*\*.MID), select the corresponding number and then start playback. For details, refer to the Owner's Manual of the instrument, or refer to the "Playing Back MIDI Files including Songs Transferred from a Computer."

If you've transferred a Style (\*\*\*.STY), confirm that the file transfer was successful according to the Owner's Manual of the instrument.

#### **NOTE**

· Note that the instrument cannot be operated while Musicsoft Downloader is running.

### **Transferring Song/Style data from the Instrument to** the Computer

#### NOTE

- Depending on the instrument and the computer OS used, menu and screen indications may differ from those shown in the instructions below.
- **1.** Connect the instrument to a computer.
- $oldsymbol{2.}$  From Desktop (on the computer), double-click the shortcut icon of Musicsoft Downloader.

If you cannot find the shortcut icon, select [Start] → [All Programs] → [YAMAHA] → [Musicsoft Downloader] → [Musicsoft Downloader].

Musicsoft Downloader launches, and the main window appears.


3. Click [Connection Check] at the bottom of the window.

This operation checks whether communication between the computer and instrument has been properly established or not. If an error message appears, follow the on-screen instructions to check the connection status with the Yamaha USB-MIDI driver.

- 4. At the lower left box of the main window, click "Electronic Musical Instruments," and then select the desired source drive.
  - · If you wish to transfer Song (\*\*\*.MID) or Style (\*\*\*.STY) data in internal memory of the instrument, select "Flash Memory."
  - · If you wish to transfer Song (\*\*\*.MID) or Style (\*\*\*.STY) data in the USB flash drive

connected to the USB TO DEVICE terminal of the instrument, select "USB."

· If you wish to transfer Backup file (\*\*\*\*.BUP) data, select "System Drive."



5. In the lower right box of the window, select the desired file, and then click the upward [Move] button.

A confirmation message will appear. To cancel the operation, click [CANCEL] in this step.

- **6.** Click [OK] to start data transfer from the instrument to the computer's temporary storage area.
- 7. After a while, confirm that the transferred data appears in the box on the upper half of the window.
- 8. In the lower left box, select the desired destination folder, then click the upward [Move ↑] button.

A confirmation message will appear. To cancel the operation, click [CANCEL] in this step.

9. Click [OK] to start data transfer from the temporary storage area to the specified destination folder of the computer.

#### **NOTICE**

- · Never unplug the USB cable during data transfer. Not only will the data transfer fail, but also operation of the memory media may become unstable and its contents may disappear completely when the power is turned on or off.
- 10. After data transfer is completed, confirm that the file is located in the specified folder of the computer.
- **11.** Ouit Musicsoft Downloader.

## **Transferring files with a Computer using Explorer, Finder, etc.**

#### NOTE


- · Depending on the instrument and the computer OS used, menu and screen indications may differ from those shown in the instructions below.
- The file transfer method differs as follows depending on the instrument. Refer to the "File transfer method" column in the "Target model and Functions."
  - Transferring files using Musicsoft Downloader (free)
  - · Transferring files using Explorer, Finder, etc. on the computer

Windows 10 is used as an example in this manual.

- **1.** Connect the instrument and the computer via a USB cable.
- $oldsymbol{2.}$  Set the instrument's function "Storage Mode" to "ON" according to the Owner's Manual of the instrument.

#### **NOTE**

- · The instrument is locked or cannot be used while "Storage Mode" is set to "ON." "Storage Mode" should be set to "OFF" normally, except when you transfer the file between the instrument and the computer.
- 3. On the computer, start an application that can copy files, such as Explorer.
- 4. Confirm that the instrument is recognized as an external storage device using Explorer or a similar program.
  - · The device name depends on the instrument.



#### **5.** Copy files between the computer and the instrument (external storage device).

#### NOTICE

- · When copying files from the computer to the instrument (external storage drive), make sure that the instrument (external storage drive) has enough free space.
- · Do not change (rename) the backup file name (with the extension:.BUP) on the computer. The backup data will not be imported to the instrument.
- · Regarding User Songs and User Styles created on the instrument, never change the file name on the computer. Doing so prevents User Song and User Style data from being recognized by the instrument.
- · Do not create folders on the instrument (external storage drive). The instrument may not correctly recognize the copied file.
- · Do not format the instrument (external storage drive). The instrument may not work properly.
- · Do not disconnect the USB cable during data communication. Also, do not turn off the power of the instrument. Not only will the data being transferred not be saved, but the instrument and computer will become unstable, and all memory contents may be lost when the power is turned on or off.
- · To remove the instrument (external storage drive), follow the procedures in this booklet. Failing to do this may result in damage to the file.
- **6.** After copying is completed, remove the instrument (external storage drive) from the computer.
  - · The drive name depends on the instrument.



- 7. Disconnect the USB cable connecting the instrument to the computer.
- 8. Set the instrument's function "Storage Mode" to "OFF" according to the Owner's Manual of the instrument.
- **9.** If you transferred the file to the instrument, make sure that it was transferred correctly.
  - · If you've transferred a Backup file (\*\*\*\*.BUP), confirm that the panel settings have been changed as expected.
  - · If you've transferred a Song (\*\*\*.MID), select the corresponding number and then start playback. For details, refer to the Owner's Manual of the instrument, or refer to the "Playing Back MIDI Files including Songs Transferred from a Computer."
  - · If you've transferred a Style (\*\*\*.STY), confirm that the file transfer is successful according to the Owner's Manual of the instrument.

## **Playing Back MIDI Files including Songs Transferred from a Computer**

For instructions concerning models other than the following, refer to the relevant Owner's Manuals.

YDP-C71/YDP-S52/YDP-S51/YDP-S34/YDP-163/YDP-162/YDP-143/YDP-142/CLP-725/CLP-625/CLP-525/YDP-164/YDP-144/YDP-S54

You can transfer up to 10 Song files from a computer to this instrument for playback. The transferred Songs are assigned to the D#6-C7 keys, letting you select and play them back.

#### **NOTE**

- The shapes of buttons may appear different from those on your instrument.
- · For the functions assigned to the keys, refer to the Quick Operation Guide supplied with your instrument.
- 1. While holding down [DEMO/SONG], press one of the D#6-C7 keys to select a song to play back.



#### YDP-C71

Playback continues the sequence: any other Songs transferred from the computer, followed by Demo Songs and Preset Songs.

● YDP-S52/YDP-S51/YDP-S34/YDP-163/YDP-162/YDP-143/YDP-142/ CLP-725/CLP-625/CLP-525/YDP-164/YDP-144/YDP-S54

Playback continues the sequence: any other Songs transferred from the computer.

#### To change the Song during playback:

Press [+ R] or [- L] to change to the next or previous Song.

2. Press [DEMO/SONG] or [PLAY] to stop playback.

#### **■** Changing Playback Channels

Try this operation when Song playback produces an unexpected or unnatural sound.

#### To set Playback Channels to "1+2":

While holding down [DEMO/SONG] and [PIANO/VOICE] simultaneously, press the C7 key.



With this operation, the Song data of only channels 1 and 2 will be played back. When Voices incompatible with this instrument are assigned to Channels 3 - 16 and the Piano parts are assigned to the Channels 1 and 2, this operation results in the proper or expected sound.

#### To set Playback Channels to "All":

While holding down [DEMO/SONG] and the [PIANO/VOICE] simultaneously, press the B6 key.



With this operation, the Song data of all channels will be played back.

## **Target Models and Functions**

If the model name of your instrument is not listed below, refer to the Owner's Manual of the instrument to check its functions.

	FileData formats compatible for transfer								
*1	Transfer method*2	User Song	User Style	Backup File	External Song*3	External Style	USB Audio		
CLP-525	MSD	<b>√</b>	-	-	<b>√</b>	-	-		
CLP- 585/575/ 545/535/ 565GP	MSD	✓	-	-	✓	-	-		
CLP-625	MSD	<b>√</b>	-	-	<b>√</b>	-	-		
CLP- 685/675/ 645/635/ 665GP	MSD	<b>√</b>	-	-	✓	-	√ *4		
CLP-695GP	MSD	<b>√</b>	-	-	✓	-	<b>√</b>		
CLP-725	MSD	✓	-	-	✓	-	<b>√</b>		
CLP- 785/775/ 745/735/ 795GP/765G P	MSD	✓	-	-	√	-	✓		
CSP- 170/150	-	-	-	-	-	-	✓		
CVP- 609/605/ 601	MSD	✓	<b>√</b>	"Model Name".BUP	√	<b>√</b>	-		
CVP- 709/705/ 701	MSD	✓	<b>√</b>	"Model Name".BUP	√	✓	-		
CVP- 809/805	MSD	<b>√</b>	<b>√</b>	"Model Name".BUP	<b>√</b>	<b>√</b>	<b>√</b>		
EZ-300	Explorer	-	-	EZ-300.BUP	✓	<b>√</b>	<b>√</b>		

	File						
*1	Transfer method*2	User Song	User Style	Backup File	External Song*3	External Style	USB Audio
F02	MSD	<b>√</b>	-	-	-	-	-
KB-209/208	MSD	-	-	KB-208.BUP	<b>√</b>	<b>√</b>	✓
KB-309/308	MSD	-	-	KB-308.BUP	<b>√</b>	<b>√</b>	✓
KBP- 1100/2100	MSD	<b>√</b>	-	"Model Name".BUP	<b>√</b>	<b>√</b>	-
N1X	MSD	<b>√</b>	-	-	<b>√</b>	-	✓
N3X	MSD	<b>√</b>	-	-	√	-	-
NP-32/12	-	-	-	-	-	-	-
NU1	MSD	<b>√</b>	-	-	<b>√</b>	-	-
NU1X	MSD	<b>√</b>	-	-	<b>√</b>	-	√ *4
P-115/105	MSD	<b>√</b>	-	-	<b>√</b>	-	-
P-125/121	MSD	<b>√</b>	-	-	<b>√</b>	-	<b>√</b>
P-125a	MSD	<b>√</b>	-	-	<b>√</b>	-	-
P-255	MSD	<b>√</b>	-	-	✓	-	-
P-45	-	_	_	-	-	-	-

	File						
*1	Transfer method*2	User Song	User Style	Backup File	External Song*3	External Style	USB Audio
P-515	MSD	✓	-	-	✓	-	<b>√</b>
PSR- E243/YPT- 240	-	-	-	-	-	-	-
PSR- E343/YPT- 340	MSD	-	-	PSR- E343.BUP	<b>√</b>	<b>√</b>	-
PSR-E353	MSD	-	-	PSR- E353.BUP	$\checkmark$	<b>√</b>	-
PSR- E363/YPT- 360	MSD	-	-	PSR- E363.BUP	<b>√</b>	<b>√</b>	✓
PSR- E373/YPT- 370	Explorer	-	-	PSR- E373.BUP	<b>√</b>	<b>√</b>	✓
PSR-E433	MSD	_	-	PSR- E433.BUP	<b>√</b>	<b>√</b>	-
PSR-E443	MSD	-	-	PSR- E443.BUP	<b>√</b>	<b>√</b>	-
PSR-E453	MSD	-	-	PSR- E453.BUP	<b>√</b>	√	<b>√</b>
PSR-E463	MSD	-	-	PSR- E463.BUP	<b>√</b>	<b>√</b>	<b>√</b>
PSR-E473	Explorer	-	-	PSR- E473.BUP	<b>√</b>	✓	<b>√</b>
PSR-EW300	MSD	-	-	PSREW300.B UP	<b>√</b>	✓	<b>√</b>
PSR-EW310	Explorer	-	-	PSREW310.B UP	<b>√</b>	<b>√</b>	✓
PSR-EW400	MSD	-	-	PSREW400.B UP	<b>√</b>	<b>√</b>	<b>√</b>

*1	File Transfer		USB Audio				
	method*2	User Song	User Style	Backup File	External Song*3	External Style	OOD Addio
PSR-EW410	MSD	-	-	PSREW410.B UP	✓	✓	✓
PSR-EW425	Explorer	-	-	PSREW425.B UP	✓	<b>√</b>	<b>√</b>
PSR-I400	MSD	-	-	PSR-I400.BUP	<b>√</b>	<b>√</b>	-
PSR-I455	MSD	-	-	PSR-I455.BUP	<b>√</b>	<b>√</b>	-
PSR-I500	MSD	-	-	PSR-I500.BUP	<b>√</b>	<b>√</b>	<b>√</b>
PSR-S670	MSD	<b>√</b>	<b>√</b>	PSR- S670.BUP	<b>√</b>	<b>√</b>	-
PSR-S750	MSD	<b>√</b>	<b>√</b>	PSR- S750.BUP	<b>√</b>	<b>√</b>	-
PSR-S950	MSD	<b>√</b>	<b>√</b>	PSR- S950.BUP	<b>√</b>	<b>√</b>	-
PSR- S970/S770	MSD	<b>√</b>	<b>√</b>	"Model Name".BUP	<b>√</b>	<b>√</b>	-
PSR- S975/S775	MSD	✓	<b>√</b>	"Model Name".BUP	<b>√</b>	<b>√</b>	-
YDP- 162/142	MSD	<b>√</b>	-	-	<b>√</b>	-	-
YDP- 163/143	MSD	✓	-	-	<b>√</b>	-	-
YDP- 164/144	MSD	<b>√</b>	-	-	<b>√</b>	-	<b>√</b>
YDP- 165/145	-	-	-	-	-	-	<b>√</b>

	File						
*1	Transfer method*2	User Song	User Style	Backup File	External Song*3	External Style	USB Audio
YDP-C71	MSD	<b>√</b>	-	YDP-C71.BUP	<b>√</b>	-	-
YDP-S34	MSD	<b>√</b>	-	-	<b>√</b>	-	✓
YDP-S35	-	_	-	-	-	-	✓
YDP- S52/S51	MSD	<b>√</b>	-	-	<b>√</b>	-	-
YDP-S54	MSD	<b>√</b>	-	-	<b>√</b>	-	✓
YDP-S55	-	_	_	-	-	-	<b>√</b>

<sup>\*1</sup> Models not sold in some regions are also listed.

#### ■ About this manual

- · The illustrations as shown in this manual are for instructional purposes only, and may appear somewhat different from those on your instrument.
- · Windows is a registered trademark of Microsoft(R) Corporation in the United States and other countries.
- · Mac is a trademark of Apple Inc., registered in the U.S. and other countries.
- · The company names and product names in this manual are the trademarks or registered trademarks of their respective companies.

<sup>\*2 &</sup>quot;Explorer" is entered for models that can transfer files using Explorer, Finder, etc. attached to the computer, and "MSD" is entered for models that cannot. For models with "MSD", transfer the files with Musicsoft Downloader.

<sup>\*3</sup> SMF Formats 0 & 1

<sup>\*4</sup> Available on instrument firmware version 2.00 or later.